



Net dimensions (h x w x d - mm): 965 x 686 x 785
 Net weight: kg 105,5
 Nominal power W: 2050
 Plug: UK

AWM 1312 - White

EAN: 800 3437 50212 5

Key features

- 6TH SENSE
- 1200 rpm Spin Speed
- Load capacity up to 13kg
- Antibacterial program
- Woolmark logo
- Clean+
- Big items program
- Washing performance class: A
- Energy efficiency class: A+
- Electronic display
- 15 Washing programs
- Rapid plus program
- Daily 40° program
- Handwash program
- Wool program
- Sport program
- Antifoam safety system
- Water lifters

Options

- Spin speed reduction
- Rinse hold
- Start On off
- Intensive rinse
- Pre wash
- Remaining time indicator
- Easy ironing
- Start delay
- Cold wash
- Reset and favourite buttons



	FRONT LOADER
MODEL NUMBER	AWM 1312
Typology	Front Loader
Capacity (kg)	13
Nr. of programs	15
Washing performance	A
Spin Speed (rpm)	1200
Adjustable Temperature	•
Adjustable spin speed	•
Control system	Electronic - Sensor Technology
WASHING OPTIONS	
Spin speed reduction	•
Rinse hold	•
Intensive rinse	•
Prewash	•
Rapid	-
Eco	-
Half load	-
Easy ironing	•
No spin	-
Cold wash	•
Gentle wash	-
95°C wash	-
On-off	•
Start	•
Remaning time indication	•
Start delay	Continuous
Reset button	•
Clean+	•
Microban	-
Steam stain removal	-
Steam sanitization	-
Child lock on Key board	-
OTHER FEATURES	
Number of detergent dispenser	3
Filter	•
Wool program	•
Super Eco	•
Foam control	•
Imbalance correction system	•
Pump safety indication led	-
Door closed safety indication led	-
Water tap safety indication led	-
ELECTRICAL FEATURES & DIMENSIONS	
Voltage / Frequency (V/Hz)	220-230 /50
Product Dimensions (HxWxD) mm.	965x686x785
Packaging Dimensions (HxWxD) mm.	997x735x835
Net weight (kg)	105,2
Gross weight (kg)	107,3
Container load 20 cu.ft.	42
Container load 40 cu.ft.	84
Container load 40 HC cu.ft.	84

• Available
- Not available



AWOE 1012 - White

EAN: 00 3437 44197 4

Key features

- 6TH SENSE
- 1200 rpm Spin Speed
- Load capacity up to 10kg
- Antibacterial program
- Big items program
- Woolmark logo
- Clean + option
- Child lock on key board
- Washing performance class: A
- Energy efficiency class: A+
- Electronic display
- Screen door
- 14 Washing programs
- Daily 40° program
- Jeans program
- Wool program
- Super eco
- Handwash program
- Antifoam safety system
- Water lifters

Options

- Speed reduction
- Rinse hold
- Intensive Rinse
- Pre wash
- Easy ironing
- Remaining time indication
- Start delay
- Reset button

Net dimensions (hxxwxd - mm): 850x595x600

Net weight: kg 80

Nominal power W: 2050

Plug: UK



	FRONT LOADER
MODEL NUMBER	AWOE 1012
Typology	Front Loader FLD
Capacity (kg)	10
Nr. of programs	14
Washing performance	A
Spin Speed (rpm)	1200
Adjustable Temperature	•
Adjustable spin speed	•
Control system	Electronic - Sensor Technology
WASHING OPTIONS	
Spin speed reduction	•
Rinse hold	•
Intensive rinse	•
Prewash	•
Rapid	-
Eco	-
Half load	-
Easy ironing	•
No spin	-
Cold wash	-
Gentle wash	-
95°C wash	-
On-off	•
Start	•
Remaning time indication	•
Start delay	Continuous
Reset button	•
Clean+	•
Microban	Drawer
Steam stain removal	-
Steam sanitization	-
Child lock on Key board	•
OTHER FEATURES	
Number of detergent dispenser	3
Filter	•
Wool program	•
Super Eco	•
Foam control	•
Imbalance correction system	•
Pump safety indication led	•
Door closed safety indication led	•
Water tap safety indication led	•
ELECTRICAL FEATURES & DIMENSIONS	
Voltage / Frequency (V/Hz)	220-230 /50
Product Dimensions (HxWxD) mm.	850X595X600
Packaging Dimensions (HxWxD) mm.	885X635X635
Net weight (kg)	80
Gross weight (kg)	81,15
Container load 20 cu.ft.	54
Container load 40 cu.ft.	108
Container load 40 HC cu.ft.	159

• Available
- Not available



AWOE 9912 - White

EAN: 800 3437 44196 7

Key features

- 6TH SENSE
- 1200 rpm Spin Speed
- Load capacity up to 9kg
- Antibacterial program
- Big items program
- Woolmark logo
- Clean + option
- Child lock on key board
- Washing performance class: A
- Energy efficiency class: A+
- Electronic display
- 14 Washing programs
- Daily 40° program
- Jeans program
- Wool program
- Super eco
- Sport program
- Antifoam safety system
- Water lifters

Options

- Speed reduction
- Rinse hold
- Intensive Rinse
- Pre wash
- Easy ironing
- Remaining time indication
- Start delay
- Reset button

Net dimensions (h x w x d - mm): 850x595x600

Net weight: kg 80

Nominal power W: 2050

Plug: UK



	FRONT LOADER
MODEL NUMBER	AWOE 9912
Typology	Front Loader Big Window
Capacity (kg)	9
Nr. of programs	14
Washing performance	A
Spin Speed (rpm)	1200
Adjustable Temperature	•
Adjustable spin speed	•
Control system	Electronic - Sensor Technology
WASHING OPTIONS	
Spin speed reduction	•
Rinse hold	•
Intensive rinse	•
Prewash	•
Rapid	-
Eco	-
Half load	-
Easy ironing	•
No spin	-
Cold wash	-
Gentle wash	-
95°C wash	-
On-off	•
Start	•
Remaning time indication	•
Start delay	Continuous
Reset button	•
Clean+	•
Microban	Drawer
Steam stain removal	-
Steam sanitization	-
Child lock on Key board	•
OTHER FEATURES	
Number of detergent dispenser	3
Filter	•
Wool program	•
Super Eco	•
Foam control	•
Imbalance correction system	•
Pump safety indication led	•
Door closed safety indication led	•
Water tap safety indication led	•
ELECTRICAL FEATURES & DIMENSIONS	
Voltage / Frequency (V/Hz)	220-230 /50
Product Dimensions (HxWxD) mm.	850X595X600
Packaging Dimensions (HxWxD) mm.	885X635X635
Net weight (kg)	80
Gross weight (kg)	81,15
Container load 20 cu.ft.	54
Container load 40 cu.ft.	108
Container load 40 HC cu.ft.	159

• Available
- Not available



Net dimensions (h x w x d - mm): 850x595x600
 Net weight: kg 80
 Nominal power W: 2050
 Plug: UK

AWOE 9910 - White

EAN: 800 3437 44195 0

Key features

- 6TH SENSE
- 1000 rpm Spin Speed
- Load capacity up to 9kg
- Antibacterial program
- Big items program
- Woolmark logo
- Clean + option
- Child lock on key board
- Washing performance class: A
- Energy efficiency class: A+
- Electronic display
- 14 Washing programs
- Daily 40° program
- Jeans program
- Wool program
- Super eco
- Sport program
- Antifoam safety system
- Water lifters

Options

- Speed reduction
- Rinse hold
- Intensive Rinse
- Pre wash
- Easy ironing
- Remaining time indication
- Start delay
- Reset button



	FRONT LOADER
MODEL NUMBER	AWOE 9910
Typology	Front Loader Big Window
Capacity (kg)	9
Nr. of programs	14
Washing performance	A
Spin Speed (rpm)	1000
Adjustable Temperature	•
Adjustable spin speed	•
Control system	Electronic - Sensor Technology
WASHING OPTIONS	
Spin speed reduction	•
Rinse hold	•
Intensive rinse	•
Prewash	•
Rapid	-
Eco	-
Half load	-
Easy ironing	•
No spin	-
Cold wash	-
Gentle wash	-
95°C wash	-
On-off	•
Start	•
Remaning time indication	•
Start delay	Continuous
Reset button	•
Clean+	•
Microban	Drawer
Steam stain removal	-
Steam sanitization	-
Child lock on Key board	•
OTHER FEATURES	
Number of detergent dispenser	3
Filter	•
Wool program	•
Super Eco	•
Foam control	•
Imbalance correction system	•
Pump safety indication led	•
Door closed safety indication led	•
Water tap safety indication led	•
ELECTRICAL FEATURES & DIMENSIONS	
Voltage / Frequency (V/Hz)	220-230 /50
Product Dimensions (HxWxD) mm.	850X595X600
Packaging Dimensions (HxWxD) mm.	885X635X635
Net weight (kg)	80
Gross weight (kg)	81,15
Container load 20 cu.ft.	54
Container load 40 cu.ft.	108
Container load 40 HC cu.ft.	159

• Available
- Not available



AW0/D 8812 - White

EAN: 800 3437 44199 8

Key features

- 6TH SENSE
- 1200 rpm Spin Speed
- Load capacity up to 8kg
- Antibacterial program
- Woolmark logo
- Washing performance class: A
- Energy efficiency class: A+
- Electronic display
- 14 Washing programs
- Daily 40° program
- Jeans program
- Wool program
- Antifoam safety system
- Water lifters

Options

- Speed reduction
- Rinse hold
- Intensive Rinse
- Pre wash
- Eco
- Easy ironing
- Remaining time indication
- Start delay
- Reset button

Net dimensions (hxxwd - mm): 850x595x600

Net weight: kg 72

Nominal power W: 2050

Plug: UK



	FRONT LOADER
MODEL NUMBER	AWO/D 8812
Typology	Front Loader Big Window
Capacity (kg)	8
Nr. of programs	14
Washing performance	A
Spin Speed (rpm)	1200
Adjustable Temperature	•
Adjustable spin speed	•
Control system	Electronic
WASHING OPTIONS	
Spin speed reduction	•
Rinse hold	•
Intensive rinse	•
Prewash	•
Rapid	-
Eco	•
Half load	-
Easy ironing	•
No spin	-
Cold wash	-
Gentle wash	-
95°C wash	-
On-off	•
Start	•
Remaning time indication	•
Start delay	Continuous
Reset button	•
Clean+	-
Microban	-
Steam stain removal	-
Steam sanitization	-
Child lock on Key board	-
OTHER FEATURES	
Number of detergent dispenser	3
Filter	•
Wool program	•
Super Eco	•
Foam control	•
Imbalance correction system	•
Pump safety indication led	•
Door closed safety indication led	•
Water tap safety indication led	•
ELECTRICAL FEATURES & DIMENSIONS	
Voltage / Frequency (V/Hz)	220-230 /50
Product Dimensions (HxWxD) mm.	850X595X600
Packaging Dimensions (HxWxD) mm.	885X635X635
Net weight (kg)	72
Gross weight (kg)	73,15
Container load 20 cu.ft.	54
Container load 40 cu.ft.	108
Container load 40 HC cu.ft.	159

• Available
- Not available



AW0/D 44610 - White

EAN: 800 3437 71042 1

Key features

- Full electronic controls
- Variable spin speed up to 1000 rpm
- Load capacity up to  6kg
- Antibacterial program
- Handwash Lingerie program

- Washing performance class: A
- Energy efficiency class: A

- Adjustable temperature
- 18 Washing programs
-  Rapid plus program
- Daily 40° program
- Wool program
- Antifoam safety system
- Water lifters

Options

- Spin speed reduction
- Start
- Intensive rinse
- Pre wash
- Easy ironing
- Reset button

Net dimensions (h x w x d - mm): 850x595x540

Net weight: kg 72

Nominal power W: 2050

Plug: Shuko



	FRONT LOADER
MODEL NUMBER	AWO/D 44610
Typology	Front Loader D4
Capacity (kg)	6
Nr. of programs	18
Washing performance	A
Spin Speed (rpm)	1000
Adjustable Temperature	•
Adjustable spin speed	•
Control system	Electronic
WASHING OPTIONS	
Spin speed reduction	•
Rinse hold	-
Intensive rinse	•
Prewash	•
Rapid	-
Eco	-
Half load	-
Easy ironing	•
No spin	-
Cold wash	-
Gentle wash	-
95°C wash	-
On-off	•
Start	•
Remaning time indication	-
Start delay	-
Reset button	•
Clean+	-
Microban	-
Steam stain removal	-
Steam sanitization	-
Child lock on Key board	-
OTHER FEATURES	
Number of detergent dispenser	3
Filter	•
Wool program	•
Super Eco	-
Foam control	•
Imbalance correction system	•
Pump safety indication led	•
Door closed safety indication led	•
Water tap safety indication led	•
ELECTRICAL FEATURES & DIMENSIONS	
Voltage / Frequency (V/Hz)	220-230 /50
Product Dimensions (HxWxD) mm.	850x595x540
Packaging Dimensions (HxWxD) mm.	870x640x620
Net weight (kg)	72
Gross weight (kg)	74
Container load 20 cu.ft.	72
Container load 40 cu.ft.	188
Container load 40 HC cu.ft.	201

• Available
- Not available



Net dimensions (h x w x d - mm): 850x595x540
 Net weight: kg 72
 Nominal power W: 2050
 Plug: Shuko

AW0/D 42680 - White

EAN: 800 3437 71040 7

Key features

- Full electronic controls
- Spin speed 400-800 rpm
- Load capacity up to 6kg
- Antibacterial program
- Handwash - Lingerie program

- Washing performance class: A
- Energy efficiency class: A

- Adjustable temperature
- 18 Washing programs
- Rapid plus program
- Wool program
- Antifoam safety system
- Water lifters

Options

- Dual speed
- Start
- Half load
- Reset button

Also Available

AW0/D 42682 - White - UK plug

EAN: 800 3437 71041 4



	FRONT LOADER
MODEL NUMBER	AWO/D 42680
Typology	Front Loader D2
Capacity (kg)	6
Nr. of programs	18
Washing performance	A
Spin Speed (rpm)	800
Adjustable Temperature	•
Adjustable spin speed	Two
Control system	Electronic
WASHING OPTIONS	
Spin speed reduction	• Bi-speed
Rinse hold	-
Intensive rinse	-
Prewash	-
Rapid	-
Eco	-
Half load	•
Easy ironing	-
No spin	-
Cold wash	-
Gentle wash	-
95°C wash	-
On-off	•
Start	•
Remaning time indication	-
Start delay	-
Reset button	•
Clean+	-
Microban	-
Steam stain removal	-
Steam sanitization	-
Child lock on Key board	-
OTHER FEATURES	
Number of detergent dispenser	3
Filter	•
Wool program	•
Super Eco	-
Foam control	•
Imbalance correction system	•
Pump safety indication led	•
Door closed safety indication led	•
Water tap safety indication led	•
ELECTRICAL FEATURES & DIMENSIONS	
Voltage / Frequency (V/Hz)	220-240/50
Product Dimensions (HxWxD) mm.	850x595x540
Packaging Dimensions (HxWxD) mm.	870x640x620
Net weight (kg)	72
Gross weight (kg)	74
Container load 20 cu.ft.	72
Container load 40 cu.ft.	188
Container load 40 HC cu.ft.	201

• Available
- Not available



AWO/D 40160

EAN: 800 3437 71053 7

Key features

- Fully electronic controls
- Spin speed 400-600 rpm
- Load capacity up to  5kg
- Antibacterial program
- Wool program
- Lingerie program
- Washing performance class: A
- Energy efficiency class: A
- 18 washing programs
-  Rapid plus program
- Antifoam safety system

Options

- Half load
- Reset button



Net dimensions (h x w x d - mm): 850X595X540

Net weight: kg 72

Nominal power W: 2050

Plug: UK

	FRONT LOADER
MODEL NUMBER	AWO/D 40160
Typology	Front loader D2
Capacity	5
Nr. of programs	18
Washing performance	A
Spin speed (rpm)	600
Adjustable temperature	•
Adjustable spin speed	Two steps
Control system	Electronic
WASHING OPTIONS	
Spin speed reduction	• Bi-speed
Rinse hold	-
Intensive rinse	-
Prewash	-
Rapid	-
Eco	-
Half load	•
Easy ironing	-
No spin	-
Cold wash	-
Gentle wash	-
95°C wash	-
On-off	-
Start	•
Remaining time indication	-
Start delay	-
Reset button	•
OTHER FEATURES	
Number of detergent dispenser	3
Filter	•
Wool cradle	•
Foam control	•
Imbalance correction system	•
Pump safety indication led	•
Door closed safety indication led	•
Water tap safety indication led	•
ELECTRICAL FEATURES & DIMENSIONS	
Voltage / Frequency (V / Hz)	220-240/50
Product dimensions (HxWxD) mm.	850x595x540
Packed dimensions (HxWxD) mm.	870x640x620
Net weight (kg)	72
Gross weight (kg)	74
Container load 20 cu.ft.	72
Container load 40 cu.ft.	188
Container load 40HC cu.ft.	201

- Available
- Not available



AWG 5061/M

EAN: 800 3437 94545 8

Key features

- Electronic control system
- Load capacity up to **5kg**
- Easy care synthetics program
- Wool program

- Washing performance class: A
- Energy efficiency class: A

- 15 Washing programs
- Rapid 30°C- 30 min
- Hand wash program
- Antifoam safety system

Options

- No Speed
- Intensive rinse
- Start delay

Also available:

AWG 5061/M UK plug

EAN: 800 3437 94547 2

Net dimensions (hxwx d - mm): 845x596x510

Net weight: kg 64

Nominal power W: 1850

Plug: Shuko



	FRONT LOADER
MODEL NUMBER	AWG 5061/M
Typology	Front loader
Capacity (kg)	5
Nr. of programs	15
Washing performance	A
Spin Speed (rpm)	600
Adjustable Temperature	-
Adjustable spin speed	Fixed
Control system	Electronic
WASHING OPTIONS	
Spin speed reduction	-
Rinse hold	-
Intensive rinse	•
Prewash	-
Rapid	-
Eco	-
Half load	-
Easy ironing	-
No spin	• (option)
Cold wash	-
Gentle wash	-
95°C wash	-
On-off	-
Start	•
Remaning time indication	-
Start delay	• (led)
Reset button	-
OTHER FEATURES	
Number of detergent dispenser	3
Filter	•
Wool program	-
Foam control	•
Imbalance correction system	•
Pump safety indication led	-
Door closed safety indication led	-
Water tap safety indication led	-
ELECTRICAL FEATURES & DIMENSIONS	
Voltage / Frequency (V/Hz)	220-240/50
Product Dimensions (HxWxD) mm.	845x596x510
Packed Dimensions (HxWxD) mm.	881x641x536
Net weight (kg)	64
Gross weight (kg)	65,5
Container load 20 cu.ft.	74
Container load 40 cu.ft.	152
Container load 40 HC cu.ft.	227

- Available
- Not available



AWE 6511

EAN: 800 3437 71092 6

Key features

- Fully electronic controls
- Variable spin speed up to 1000 rpm
- Load capacity up to 5kg
- Counterweight door
- Soft opening drum locking system
- Wool program

- Washing performance class: A
- Energy efficiency class: A+

- 18 washing programs
- Rapid plus program
- Antifoam safety system
- Panel French language

Options

- Spin speed reduction
- Rinse hold
- Intensive rinse
- Prewash
- Cold wash

Net dimensions (h x w x d - mm): 900x400x600

Net weight: kg 58

Nominal power W: 2050

Plug: Shuko



	TOP LOADER
MODEL NUMBER	AWE 6511
Typology	Top loader D6
Capacity (kg)	5
Nr. of programs	18
Washing performance	A+
Spin Speed (rpm)	1000
Adjustable Temperature	•
Adjustable spin speed	•
Control system	Electronic
WASHING OPTIONS	
Spin speed reduction	• (5 Steps)
Rinse hold	•
Intensive rinse	•
Prewash	•
Rapid	-
Eco	-
Half load	-
Easy ironing	-
No spin	•
Cold wash	•
Gentle wash	-
95°C wash	-
On-off	-
Start	•
Remaning time indication	-
Start delay	-
Reset button	-
OTHER FEATURES	
Number of detergent dispenser	3
Filter	•
Wool cradle	-
Foam control	•
Imbalance correction system	•
ELECTRICAL FEATURES & DIMENSIONS	
Voltage / Frequency (V/Hz)	230-240/50
Product Dimensions (HxWxD) mm.	900x400x600
Packed Dimensions (HxWxD) mm.	950x440x700
Net weight (kg)	58
Gross weight (kg)	60
Container load 20 cu.ft.	72
Container load 40 cu.ft.	170
Container load 40 HC cu.ft.	-

- Available
- Not available



AWE 2217

EAN: 800 3437 71171 8

Key features

- Fully electronic controls
- Spin speed 700 rpm
- Load capacity up to 
- Counterweight door
- Soft opening drum locking system
- Wool program

- Washing performance class: A
- Energy efficiency class: A

- 18 washing programs
-  Rapid plus program
- Antifoam safety system
- Panel French language

Options

- Rinse hold
- Prewash
- Half load



Net dimensions (h x w x d - mm): 900x400x600

Net weight: kg 58

Nominal power W: 2050

Plug: Shuko

	TOP LOADER
MODEL NUMBER	AWE 2217
Typology	Top loader D2
Capacity (kg)	5
Nr. of programs	18
Washing performance	A
Spin Speed (rpm)	700
Adjustable Temperature	•
Adjustable spin speed	Fixed
Control system	Electronic
WASHING OPTIONS	
Spin speed reduction	-
Rinse hold	•
Intensive rinse	-
Prewash	•
Rapid	-
Eco	-
Half load	•
Easy ironing	-
No spin	•
Cold wash	-
Gentle wash	-
95°C wash	-
On-off	-
Start	•
Remaning time indication	-
Start delay	-
Reset button	-
OTHER FEATURES	
Number of detergent dispenser	3
Filter	•
Wool cradle	-
Foam control	•
Imbalance correction system	•
ELECTRICAL FEATURES & DIMENSIONS	
Voltage / Frequency (V/Hz)	230/50
Product Dimensions (HxWxD) mm.	900x400x600
Packed Dimensions (HxWxD) mm.	950x440x700
Net weight (kg)	58
Gross weight (kg)	60
Container load 20 cu.ft.	72
Container load 40 cu.ft.	170
Container load 40 HC cu.ft.	-

- Available
- Not available



3XWTW5705SW

EAN: 800 3437 03635 4

Key features

- Loads up to  10,1 kg
- White color with Metallic console
- Washer 27" Super Capacity Plus
- Agitator X-tra Roll plus
- Console with symbols – English text
- Metallic knobs
- 7 washing cycles
- 3 temperatures
- 2 motor speeds
- Extra rinse
- Softener dispenser

Net dimensions (hxxwxd - mm): 1080x680x650

Net weight: kg 67

Plug: Shuko

	TOP LOADER
MODEL NUMBER	3XWTW5705SW
Typology	Electric
Agitator	X-tra Roll plus
Color	White - metallic console
Capacity (kg)	10,1
Width	27"
Drum Finishing	Spreckle
Motor speed	2
WASHING PROGRAMS	
Cycles	7
End of Cycle	•
Temperature	3
WASHING CYCLES	
Extra rinse	•
Bleach dispenser	Direct
Fabric softener	•
ELECTRICAL FEATURES & DIMENSIONS	
Voltage / Frequency (V/Hz)	230(220-240)/50
Product Dimensions (HxWxD) mm.	1080x680x650
Packed Dimensions (HxWxD) mm.	1111x692x667
Net weight (kg)	67
Gross weight (kg)	70
Container load 20 cu.ft.	-
Container load 40 cu.ft.	-
Container load 40 HC cu.ft.	102

- Available
- Not available



3SWTW5205SQ - White

EAN: 8003437943355

Key features

- Loads up to **10,1 kg**
- White color with White console
- Washer 27" Super Capacity Plus
- Agitator X-tra Roll plus
- Console with English text
- 6 washing cycles
- 3 Temperatures
- Motor 2 speeds
- Super wash program
- Normal- regular program
- Delicated – regular program
- Hand wash
- Softner dispenser
- Direct-in bleach

Net dimensions (hxwx d - mm): 1080x680x650

Net weight: kg 64

Plug: Shuko

	TOP LOADER
MODEL NUMBER	3SWTW5205SQ
Typology	Electric
Agitator	X-tra Roll plus
Color	White
Capacity (kg)	10,1
Width	27"
Drum Finishing	White
Motor speed	2
WASHING PROGRAMS	
Cycles	6
End of Cycle	•
Temperature	
WASHING CYCLES	
Extra rinse	3
Bleach dispenser	•
Fabric softener	Direct
	•
ELECTRICAL FEATURES & DIMENSIONS	
Voltage / Frequency (V/Hz)	230(220-240)/50
Product Dimensions (HxWxD) mm.	1080x680x650
Packed Dimensions (HxWxD) mm.	1111x692x667
Net weight (kg)	67
Gross weight (kg)	70
Container load 20 cu.ft.	51
Container load 40 cu.ft.	102
Container load 40 HC cu.ft.	102

- Available
- Not available



AWZ 3427

EAN: 800 3437 46642 7

Key features

- Full electronic controls
- Air vented system
- Over dry protection
- Blocked filter led indicator
- Load capacity **7kg**

- Stainless steel drum
- Airing program
- Anti-crease program
- Delicate program
- Synthetic program
- Auto cool down airing phase
- Extra drying time

Options

- Gentle
- Buzzer
- Start delay
- Big door size 400 mm. 180° opening angle
- Reversible door

Net dimensions (hxxwxd - mm): 855x600x546

Net weight: kg 31

Nominal power W: 2800

Plug: UK

	DRYER
MODEL NUMBER	AWZ 3427
Typology	Air vented
Steering	Electronic
Capacity (kg)	7
Drum Action	•
Bottle	Bottom
DRYING FUNCTIONS-OPTIONS	
Gentle/led	•/•
Buzzer /led	•/•
Start/led	•/•
Start delay	One time fixed
Start delay time (h)	1-dic
Blocked Filter	•
Full tank	-
Clean Heat Exchanger	-
Drying sequences (Nber of LEDs)	4
On/off	-
OTHER FEATURES	
Drum material	Stainless steel
Door opening (°)	180
Diagonal airflow	•
Air hose supplied	•
Bottle capacity (lt.)	-
Humidity sensors	•
ELECTRICAL FEATURES & DIMENSIONS	
Voltage / Frequency (V/Hz)	230/50
Product Dimensions (HxWxD) mm.	855x600x546
Packaging Dimensions (HxWxD) mm.	880x640x610
Net weight (kg)	31
Gross weight (kg)	33
Container load 20 cu.ft.	54
Container load 40 cu.ft.	114
Container load 40 HC cu.ft.	171

- Available
- Not available



AWZ 320

EAN: 800 3437 46480 5

Key features

- **Mechanical controls**
- **Airvented system**
- **Loads up to 6kg**
- Load capacity 6kg
- Reverse drum action
- Airing program
- Anti-crease program
- Gentle option
- 140' extra long timer
- Filter full (led indicator)
- Big 440 mm. wide opening door
- 180° opening angle door
- Reversible door

Net dimensions (hxxwxd - mm): 855x600x546

Net weight: kg 31

Nominal power W: 2300

Plug: UK

	DRYER
MODEL NUMBER	AWZ 320
Typology	Air Vented
Steering	Mechanical
Capacity (kg)	6
Drum Action	•
Bottle	-
DRYING FUNCTIONS-OPTIONS	
Gentle/led	•/-
Buzzer /led	-
Start/led	•/-
Start delay	-
Start delay time (h)	-
Blocked Filter	•
Full tank	-
Drying sequences (Nber of LEDs)	-
On/off	•
OTHER FEATURES	
Drum material	Stainless Steel
Door opening	180
Diagonal airflow	•
Air hose supplied	•
Bottle capacity (lt.)	-
Humidity sensors	-
ELECTRICAL FEATURES & DIMENSIONS	
Voltage / Frequency (V/Hz)	220-240/50
Product Dimensions (HxWxD) mm.	855x600x546
Packaging Dimensions (HxWxD) mm.	880x640x610
Net weight (kg)	31
Gross weight (kg)	33
Container load 20 cu.ft.	54
Container load 40 cu.ft.	114
Container load 40 HC cu.ft.	171

- Available
- Not available



3XWED5705SW

EAN: 800 3437 94405 5

Key features

- White color – metallic console
- Dryer 27"
- Loads up to 
- Console with symbols – English text
- Metallic knobs
- 3 drying cycles
- 3 temperatures
- End of cycle
- Gentle dry
- Anti crease program
- Wide door opening - side swing

Net dimensions (hxxwxd - mm): 1100x685x743

Net weight: kg 52

Nominal power W: 3000

Plug: Shuko

	DRYER
MODEL NUMBER	3XWED5705S
Typology	Electric
Color	White - Metallic console
Capacity (kg)	10,5
Width	27"
Drum Finishing	White
Motor speed	1/3 HP
DRYING PROGRAMS	
Cycles	3
Temperature	3
DRYING OPTIONS	
Anticrease	•
Gentle heat	•
ELECTRICAL FEATURES & DIMENSIONS	
Voltage / Frequency (V/Hz)	230-240 /50
Product Dimensions (HxWxD) mm.	1100x685x743
Packaging Dimensions (HxWxD) mm.	1179x847x716
Net weight (kg)	52
Gross weight (kg)	59
Container load 20 cu.ft.	-
Container load 40 cu.ft.	-
Container load 40 HC cu.ft.	90

- Available
- Not available



3SWED5205SQ

EAN: 800 3437 94336 2

Key features

- White color
- Dryer 29"
- Loads up to 
- Console with English text
- White knobs
- 5 drying cycles
- 3 temperatures
- Gentle dry
- Wide door opening - side swing

Net dimensions (h x w x d - mm): 1090 x 740 x 710

Net weight: kg 52

Nominal power W: 3100

Plug: Sabs

	DRYER
MODEL NUMBER	3SWED5205SQ
Typology	Electric
Color	Full white
Capacity (kg)	10,5
Width	29 "
Drum Finishing	White
Motor speed	1/3 HP
DRYING PROGRAMS	
Cycles	5
Temperature	3
DRYING OPTIONS	
Anticrease	-
Gentle heat	•
ELECTRICAL FEATURES & DIMENSIONS	
Voltage / Frequency (V/Hz)	230/50
Product Dimensions (HxWxD) mm.	1090x740x710
Packaging Dimensions (HxWxD) mm.	1179x847x767
Net weight (kg)	52
Gross weight (kg)	59
Container load 20 cu.ft.	-
Container load 40 cu.ft.	-
Container load 40 HC cu.ft.	90

- Available
- Not available